

7421 Burnet Rd, #237 | Austin, TX 78757 USA www.globalanimalpartnership.org T: 877.427.5783 | F: +1.877.427.4860

## Clarification to Lameness Evaluations in Turkeys - Standard 2.9.1

## Issued & Effective May 3, 2018

## **Background**

Given that some turkey operations thin<sup>1</sup> their turkey flocks during the grow out period, G.A.P. recognizes that Standard 2.9.1 could benefit from further clarification.

tandar	d 2.9.1 reads:							
STANDAR		Step Level						
STANDARD		1		2	3	4	5	5+
1 See Ap of lamene	opendix II for lameness evaluations. Note: the sum below is not prevalence but rather a calculation that accounts for both	th th	ne fi	requ	ienc	y and	sev	erity
2.9.10	Lameness evaluations must be conducted on 100 turkeys from each flock on the operation during the final week prior to slaughter.	•		•	•	•	•	•
2.9.10	(i) [2.9.1]: See Appendix II: Lameness Evaluation for scoring protocol and specification on calculating the flock's total language. 2.9.2 for records requirements.	ame	nes	ss su	ım, c	and S	tand	lard

## Clarification

For flocks that are thinned, lameness evaluations must be carried out on the oldest birds to be slaughtered during the final week prior to slaughter.

While lameness evaluations of birds that are thinned earlier are encouraged, the only requirement is for a lameness evaluation to be conducted on the oldest birds in the flock, during the final week prior to slaughter.

<sup>&</sup>lt;sup>1</sup> i.e. removing a sub-group of the flock for processing